

Intervention Follow Through



Is It Being Done?

Gigi Lemanowicz, RPh
Pharmacy Information Specialist
Southwest General Health Center
Middleburg Heights, Ohio



**SOUTHWEST GENERAL
HEALTH CENTER**

Partnering with
**University Hospitals
HealthSystem**

Gigi Lemanowicz, RPh, has nothing to disclose.

Recording Interventions

Clinical Interventions				
*Intervention Type				
<input type="radio"/> Adverse drug event	<input type="radio"/> Dose too low	<input type="radio"/> Drug, lab interaction	<input type="radio"/> Optimize formulation	<input type="radio"/> Pharmacokinetic consult
<input type="radio"/> Dose too high	<input type="radio"/> Drug information question	<input type="radio"/> Formulary conversion	<input type="radio"/> Optimize frequency	<input type="radio"/> Therapeutic duplication
<input type="radio"/> Dose too high-age	<input type="radio"/> Drug, disease interaction	<input type="radio"/> Medication history	<input type="radio"/> Optimize monitoring	<input type="radio"/> Unnecessary order
<input type="radio"/> Dose too high-renal	<input type="radio"/> Drug, drug interaction	<input type="radio"/> Optimize administration route	<input type="radio"/> Order clarification	<input type="radio"/> Untreated indication
<input type="radio"/> Dose too high-weight	<input type="radio"/> Drug, food interaction	<input type="radio"/> Optimize duration	<input type="radio"/> Patient counseling	<input type="radio"/> Other:
Associated Order(s)	*Initiated By	*Clinical Importance		
	<input type="radio"/> Nurse <input type="radio"/> Pharmacist <input type="radio"/> Physician <input type="radio"/> Other:	<input type="radio"/> Potentially severe <input type="radio"/> Potentially major <input type="radio"/> Potentially minor <input type="radio"/> Little or no clinical importance <input type="radio"/> Other:		
		Severe - Fatal or severe error/life threatening Major - Affect organ function or quality of life Minor - Care to more acceptable level		
*Prescriber Response	Prescriber	*Patient Clinical Outcome		
<input type="radio"/> Accepted <input type="radio"/> Corrected prior to contact <input type="radio"/> Modified <input type="radio"/> No response <input type="radio"/> Not accepted <input type="radio"/> Patient dismissed before response <input type="radio"/> Pending <input type="radio"/> Other:	<input type="text"/>	<input type="radio"/> Not applicable <input type="radio"/> Avoided potential risk <input type="radio"/> Negative outcome from recommendation <input type="radio"/> No change from recommendation <input type="radio"/> Patient responded to recommendation <input type="radio"/> Pending <input type="radio"/> Unknown <input type="radio"/> Other:		
	Pharmacoeconomic Impact			
	<input type="radio"/> < \$5.00 <input type="radio"/> \$5.01 - \$15.00 <input type="radio"/> \$15.01 - \$25.00 <input type="radio"/> \$25.01 - \$50.00 <input type="radio"/> \$50.01 - \$100.00	<input type="radio"/> \$100.01 - \$250.00 <input type="radio"/> \$250.01 - \$500.00 <input type="radio"/> \$500.01 - \$1000.00 <input type="radio"/> > \$1000.00		
*Pharmacist Intervention Time	Additional Information			
<input type="radio"/> < 1 Minute <input type="radio"/> 1-5 Minutes <input type="radio"/> 6-15 Minutes <input type="radio"/> 16-30 Minutes <input type="radio"/> > 30 Minutes				

Pharmacy Pending Intervention Report

Time: 07:21 am

PHARMACY PENDING INTERVENTION REPORT

Page: 1

2N N210-01 last name, first name Fin nbr: 1

Prescriber Response: Accepted

Intervention Type: Pharmacokinetic consult

Additional Info: TOBRAMYCIN MONITORING

2N N246-01 last name, first name Fin nbr:

Prescriber Response: Pending

Intervention Type: Medication history

Additional Info: CALLED TO CLARIFY THREE MEDS. RN WILL CALL FAMILY.WROTE ORDER FOR STOOL SOFTEN

Time:	08:50 am	PHARMACY PENDING INTERVENTION REPORT	Page: 1
2M	W272-01	Last Name, First Name	Fin nbr: Financial Number
		Prescriber Response: Pending	
		Intervention Type: Other: ANTI-BIOTIC SURVEILLANCE.	
		Additional Info: CALLED TO CHECK INDICATION. NO CULTURES ORDERED AT THIS TIME	
2M	W364-02	o	Fin nbr:
		Prescriber Response: Pending	
		Intervention Type: Medication history	
		Additional Info: Called concerning allergies to pain meds and antibiotics. RN to interview patient	
3E	E386-01		Fin nbr:
		Prescriber Response: No response	
		Intervention Type: Dose too high-renal	
		Additional Info: DOSING REGIME EXCEEDS RECOMMENDATIONS OF 0.04g Q24H FOR CrCL UNDER 50, RN STATES	

Purchasing Strategy to Maximize Health System Cost Savings

What are the Barriers?