

Estimated Creatinine Clearance Nomogram

Male Creatinine Clearance Table

SCr	Age																
	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-100
0.5-0.7	205	197	188	180	172	163	155	147	138	130	73	68	63	58	53	48	43
0.8-1.0	137	131	126	120	114	109	103	98	92	87	73	68	63	58	53	48	43
1.1-1.3	103	98	94	90	86	82	78	73	69	65	61	57	53	48	44	40	36
1.4-1.6	82	79	75	72	69	65	62	59	55	52	49	45	42	39	35	32	29
1.7-1.9	68	66	63	60	57	54	52	49	46	43	41	38	35	32	29	27	24
2.0-2.2	59	56	54	51	49	47	44	42	40	37	35	32	30	28	25	23	20
2.3-2.5	51	49	47	45	43	41	39	37	35	33	30	28	26	24	22	20	18
2.6-2.8	46	44	42	40	38	36	34	33	31	29	27	25	23	21	20	18	16
2.9-3.1	41	39	38	36	34	33	31	29	28	26	24	23	21	19	18	16	14
3.2-3.4	37	36	34	33	31	30	28	27	25	24	22	21	19	18	16	15	13
3.5-3.7	34	33	31	30	29	27	26	24	23	22	20	19	18	16	15	13	12
3.8-4.0	32	30	29	28	26	25	24	23	21	20	19	17	16	15	14	12	11
> 4.0	29	28	27	26	25	23	22	21	20	19	17	16	15	14	13	11	10

If Estimated CrCl is below line, patient is at increased risk for Nephrogenic Systemic Fibrosis

Female Creatinine Clearance Table

SCr	Age																
	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-100
0.5-0.7	174	167	160	153	146	139	132	125	118	111	62	58	54	49	45	41	37
0.8-1.0	116	111	107	102	97	93	88	83	78	74	62	58	54	49	45	41	37
1.1-1.3	87	84	80	77	73	69	66	62	59	55	52	48	45	41	38	34	30
1.4-1.6	70	67	64	61	58	56	53	50	47	44	41	39	36	33	30	27	24
1.7-1.9	58	56	53	51	49	46	44	42	39	37	34	32	30	27	25	23	20
2.0-2.2	50	48	46	44	42	40	38	36	34	32	30	28	26	23	21	19	17
2.3-2.5	44	42	40	38	36	35	33	31	29	28	26	24	22	21	19	17	15
2.6-2.8	39	37	36	34	32	31	29	28	26	25	23	21	20	18	17	15	14
2.9-3.1	35	33	32	31	29	28	26	25	24	22	21	19	18	16	15	14	12
3.2-3.4	32	30	29	28	27	25	24	23	21	20	19	18	16	15	14	12	11
3.5-3.7	29	28	27	26	24	23	22	21	20	18	17	16	15	14	13	11	10
3.8-4.0	27	26	25	24	22	21	20	19	18	17	16	15	14	13	12	10	9
> 4.0	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9

If Estimated CrCl is below line, patient is at increased risk for Nephrogenic Systemic Fibrosis